#### **FP-ECOFIX**

Page: 1

Compilation date: 18/08/2014

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: FP-ECOFIX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9b: Fillers, putties, plasters, modelling clay.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Carlton Manufacturing Ltd

Unit 3, Davey Road

Fields End Business Park, Goldthorpe

Rotherham

- South Yorkshire
- S63 0JF

United Kingdom

- Tel: 01709 891166
- Fax: 0845 127 4030
- Email: guy@carltonmanufacturing.co.uk

### 1.4. Emergency telephone number

#### Emergency tel: 01709 891166

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CHIP:	Xi: R41; Sens.: R43
Classification under CLP:	Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317
Most important adverse effects:	Risk of serious damage to eyes. May cause sensitisation by skin contact.

#### 2.2. Label elements

Label elements under CLP:

Hazard statements:H315: Causes skin irritation.H317: May cause an allergic skin reaction.H318: Causes serious eye damage.Signal words:DangerHazard pictograms:GHS05: CorrosionGHS07: Exclamation mark



### FP-ECOFIX

		Page:	2
Precautionary statements:	P264: Wash hands thoroughly after handling.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
	P332+313: If skin irritation occurs: Get medical advice/attention.		
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing.		
	P310: Immediately call a POISON CENTER or doctor.		
	P321: Specific treatment (see instructions on this label).		
Label elements under CHIP:			
Hazard symbols:	Irritant.		
	×		
Risk phrases:	R41: Risk of serious damage to eyes.		
	R43: May cause sensitisation by skin contact.		
Safety phrases:	S24: Avoid contact with skin.		
	S26: In case of contact with eyes, rinse immediately with plenty of water and seek		
	medical advice.		
	S37/39: Wear suitable gloves and eye / face protection.		
Haz. ingredients (label):	PORTLAND CEMENT		
2.3. Other hazards			

## **PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

## 3.2. Mixtures

### Hazardous ingredients:

## PORTLAND CEMENT

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	65997-15-1	Xi: R37/38; Xi: R41; Sens.: R43	Skin Irrit. 2: H315; Eye Dam. 1: H318;	10-30%
			Skin Sens. 1: H317; STOT SE 3: H335	

### AMORPHOUS CALCIUM ALUMINATE

4.1. Description of first aid measures

-	-	Xi: R36/37/38	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	<5%
			STOT SE 3: H335	

## Section 4: First aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash
	immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

#### **FP-ECOFIX**

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

A.2. Most important symptoms and effects, both acute and delayed
 Skin contact: There may be irritation and redness at the site of contact.
 Eye contact: There may be irritation and redness. The eyes may water profusely.
 Ingestion: There may be soreness and redness of the mouth and throat.
 Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
 Delayed / immediate effects: Immediate effects can be expected after short-term exposure.
 4.3. Indication of any immediate medical attention and special treatment needed
 Immediate / special treatment: Eye bathing equipment should be available on the premises.
 Section 5: Fire-fighting measures
 5.1. Extinguishing media
 Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.
 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### **FP-ECOFIX**

Page: 4

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Not applicable.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory
	protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	Not applicable.

## Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Powder
Colour:	Grey
Odour:	Odourless

Solubility in water: Slightly soluble

## 9.2. Other information

Other information: Not applicable.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### **FP-ECOFIX**

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

11.1. Information on toxicological effects

#### **Relevant effects for mixture:**

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: No data available.

**Page:** 5

## FP-ECOFIX

FF-EGOFIA				
	<b>Page:</b> 6			
3 assessment				
<b>PBT identification:</b> This product is not identified as a PBT/vPvB substance.				
12.6. Other adverse effects				
Negligible ecotoxicity.				
rations				
S				
<b>Disposal operations:</b> Transfer to a suitable container and arrange for collection by specialised disposal				
Not applicable.				
Dispose of as normal industrial waste.				
The user's attention is drawn to the possible existence of regional or national				
regulations regarding disposal.				
Ition				
This product does not require a classification for transport.				
ation				
nmental regulations/legislation specific for the substance or mixture				
This safety data sheet is prepared in accordance with Commission Regulation (EU) No				
453/2010.				
* indicates text in the SDS which has changed since the last revision.				
H315: Causes skin irritation.				
H317: May cause an allergic skin reaction.				
H318: Causes serious eye damage.				
H319: Causes serious eye irritation.				
H335: May cause respiratory irritation.				
R36/37/38: Irritating to eyes, respiratory system and skin.				
R37/38: Irritating to respiratory system and skin.				
R41: Risk of serious damage to eyes.				
	assessment This product is not identified as a PBT/vPvB substance. Negligible ecotoxicity. ations Transfer to a suitable container and arrange for collection by specialised disposal company. Not applicable. Dispose of as normal industrial waste. The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. tion The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. tion The user's attention is drawn to the possible existence or mixture the user's attention is drawn to the possible existence or mixture The user's attention is drawn to the possible existence or mixture to numental regulations/legislation specific for the substance or mixture the supplicable. The user's distention is drawn to the possible existence or mixture the supplicable. The user's attention is drawn to the possible existence or mixture the supplicable. The user's attention is drawn to the possible existence or mixture the supplicable. This safety assessment has been carried out for the substance or the mixture by the supplier. This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye damage. H319: Causes serious eye irritation. H318: Causes serious eye irritation. H318: Causes serious eye irritation. H318: Causes serious eye irritation.			

- R43: May cause sensitisation by skin contact.
- Legend to abbreviations: PNEC = predicted no effect level

### **FP-ECOFIX**

Page: 7

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.