

# Protek 2000

Single Wire V-Mesh Clamp Fence System

The Protek 2000 mesh fence system provides a strong single-wire security fence that is both aesthetically pleasing to the eye with high through-visibility, helping it to blend into its surroundings.

Protek 2000 features welded single-wire mesh panels with horizontal triangular folds that help to form a strong, rigid fence line. Adjoining panels are held together with a full vertical length clamp bar pinned into posts using pre-drilled holes. This makes the fixings vandal resistant and provides a higher level of security than traditional clip mesh fencing systems.

### **Applications**

- School Boundaries
- Public Areas
- Perimeter Protection
- Industrial Estates







# **Specification**

Nominal Fence Height (m)	Panel Size Height x Width (mm)	Post Centres (mm)	No. 'V'Bars per Panel	Overall Length of Post (mm)	Post Size (mm)	Number of Fixings	
						Ends/Inters (1 Clamp)	Corners (2 Clamps)
1.8	1,730 x 2,500	2,510	3	2,400	60 x 40	4	8
2.0	1,930 x 2,500	2,510	3	2,600	60 x 40	4	8
2.4	2,330 x 2,500	2,510	4	3,150	60 x 40	5	10

Data subject to change





# Protek 2000

### **DATASHEET**


Version 1.1 | 03-23



# **Posts, Clips and Fixings**

The posts and full length clamp bars that are offered provide a fixing system which secures the panels but allows for variations. The system is easy to install and allows the panels to be stepped, helping the fence line to follow the contours of the ground. With the vandal resistant security fixings this post and clamp system provides a higher level of security than the traditional clip system.


Intermediate post




Internal corner post



End post



External corner post



Lemon Fencing is the trading name of W. B. Lemon Fencing Ltd. Registered Office: 103-105 Leigh Road, Leigh-on-Sea, Essex, SS9 1JL.

Protek is a registered trademark of Alexandra Security Ltd

While care has been taken to ensure that all information provided on this data sheet is accurate, we reserve the right to change product specifications at any time. E&OE.

### **Product Technical Information**

#### **Panels:**

- Mesh size 200 x 55mm 5mm wire.
- Triangular Folds: 3 or 4 per panel (height dependant)
- Manufactured to BS 4102 and galvanised to BS EN 10244-2:2001 class D.
- Weld strength is 75% of the minimum tensile strength of the wire (tensile range 540-690 N/m2).

#### Posts:

- Dig-in posts. 60 x 40mm RHS.
- Post material manufactured to BS EN 10210-2:1997 and galvanised to BS EN 10346:2009.
- Supplied with 60 x 40mm plastic cap.

#### **Fixings:**

- Clamp Bar: 41 x 21mm channel (full length of mesh panel).
- M8 x 100 Cup square security bolt.
- M8 shear nut.

#### Finishings:

- Panels & Posts are galvanised before being powder coated to BS EN 13438:2005 (min 100 micron).
- Standard colour is RAL 6005 (Moss Green).
- Other RAL colours available as special order, including marine grade coating.

# Post Options:

- Cranked posts (internal and external / top and bottom).
- Face fix (for flush against walls).
- Base-plated (flush to front, back or centrally) available as special order for installation onto concrete and other hard surfaces

## **15 Year Product Guarantee**



We work hard to ensure that when you choose us, there are no shocks or surprises, and that the finished item we deliver looks and functions every bit as well as the initial concept. But should the worst happen we can guarantee that we will not stop until everything has been resolved, and are proud to say that we have a 100% satisfaction rating on all post sale issues. In addition, we are able to offer a 15-year guarantee, covering the performance and appearance of our mesh fencing systems. Giving you added confidence when specifying one of our products.

