

Protek[®] 2000 Privacy

Single Wire V-Mesh Clamp Privacy Fence System

The Protek 2000 Privacy system offers the security of the standard Protek 2000 system with the additional benefit of increased privacy, thanks to the attractive timber infill panels.

There's no need to compromise on the appearance of your security fence when increased privacy is needed, thanks to the made to measure wood panel inserts. The timber is supported within the 'V' profile of the mesh and secured to the rear of the fence with a strong fixing baton. This creates a fencing surface that has no hand or foot ledges, making it even more difficult to climb over, as well as offering a privacy barrier from one side to the other.

Applications

- School Boundaries
- Public Areas
- Retail Parks
- Residential Areas



Specification

Nominal Fence Height (m)	Panel Size Height x Width (mm)	Post Centres (mm)	No. ′V'Bars per Panel	Overall Length of Post (mm)	Post Size (mm)	Number of Fixings	
						Ends/Inters (1 Clamp)	Corners (2 Clamps)
1.8	1,730 x 2,500	2,510	3	2,400	60 x 40	4	8
2.0	1,930 x 2,500	2,510	3	2,600	60 x 40	4	8
2.4	2,330 x 2,500	2,510	4	3,150	60 x 40	5	10

Data subject to change



Lemon Fencing is the trading name of W. B. Lemon Fencing Ltd. Registered Office: 103-105 Leigh Road, Leigh-on-Sea, Essex, SS9 1JL.

Protek is a registered trademark of Alexandra Security Ltd



Protek²⁰⁰⁰ Privacy


DATASHEET


Version 1.1 | 03-23



Posts, Clips and Fixings

The posts and full length clamp bars that are offered provide a fixing system which secures the panels but allows for variations. The system is easy to install and allows the panels to be stepped, helping the fence line to follow the contours of the ground. With the vandal resistant security fixings this post and clamp system provides a higher level of security than the traditional clip system.





Lemon Fencing is the trading name of W. B. Lemon Fencing Ltd. Registered Office: 103-105 Leigh Road, Leigh-on-Sea, Essex, SS91JL.

Protek is a registered trademark of Alexandra Security Ltd

While care has been taken to ensure that all information provided on this data sheet is accurate, we reserve the right to change product specifications at any time. E&OE.

Product Technical Information

Panels:	 Mesh size 200 x 55mm - 5mm wire.
	 Triangular Folds: 3 or 4 per panel (height dependant)
	 19 x 50mm Timber Slats with planned finish & pressure treated finish. Height matches mesh panel. Supplied in loose form.
	 Manufactured to BS 4102 and galvanised to BS EN 10244-2:2001 class D.
	 Weld strength is 75% of the minimum tensile strength of the wire (tensile range 540-690 N/m2).
Posts:	• Dig-in posts. 60 x 40mm RHS.
	 Post material manufactured to BS EN 10210-2:1997 and galvanised to BS EN 10346:2009.
	• Supplied with 60 x 40mm plastic cap.
Fixings:	 Clamp Bar: 41 x 21mm channel (full length of mesh panel).
	 M8 x 100 Cup square security bolt.
	• M8 shear nut.
Finishings:	 Panels & Posts are galvanised before being powder coated to BS EN 13438:2005 (min 100 micron).
	 Standard colour is RAL 6005 (Moss Green).
	 Other RAL colours available as special order, including marine grade coating.
Deet	
Post Options:	 Cranked posts (internal and external / top and bottom).
	 Face fix (for flush against walls).
	 Base-plated (flush to front, back or centrally) available as special order for installation onto concrete and other

as special order for installation onto concrete and other hard surfaces.

15 Year Product Guarantee



We work hard to ensure that when you choose us, there are no shocks or surprises, and that the finished item we deliver looks and functions every bit as well as the initial concept. But should the worst happen we can guarantee that we will not stop until everything has been resolved, and are proud to say that we have a 100% satisfaction rating on all post sale issues. In addition, we are able to offer a 15-year guarantee, covering the performance and appearance of our mesh fencing systems. Giving you added confidence when specifying one of our products.

